Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
L. Caro
G. N. Cohen
J. Davies
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
F. M. Richards
P. M. B. Walker
J. C. Wang
S. M. Weissman

VOLUME 98
15 October 1975 to 15 November 1975

ACADEMIC PRESS
London New York San Francisco

Copyright © 1975 by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 98

NUMBER 1, 15 OCTOBER 1975

CARBON, J., SHENK, T. E. and BERG, P., Construction *In Vitro* of Mutants of Simian Virus 40: Insertion of a Poly(dA·dT) Segment at the *Hemophilus parainfluenza* II Restriction Endonuclease Cleavage Site. . . . 1

ASHTON, F. T., SOMLYO, A. V. and SOMLYO, A. P., The Contractile Apparatus of Vascular Smooth Muscle: Intermediate High Voltage Stereo Electron Microscopy 17

CONDIT, R. C. and STEITZ, J. A., F Factor-mediated Inhibition of Bacteriophage T7 Growth: Analysis of T7 RNA and Protein Synthesis *In Vivo* and *In Vitro* Using Male and Female *Escherichia coli* 31

CONDIT, R. C., F Factor-mediated Inhibition of Bacteriophage T7 Growth: Increased Membrane Permeability and Decreased ATP Levels following T7 Infection of Male *Escherichia coli* 45

NILES, E. G. and CONDIT, R. C., Translational Mapping of Bacteriophage T7 RNAs Synthesized *In Vitro* by Purified T7 RNA Polymerase . . . 57

CASE, S. T. and BAKER, R. F., Detection of Long Eukaryote-specific Pyrimidine Runs in Repetitive DNA Sequences and Their Relation to Single-stranded Regions in DNA Isolated from Sea Urchin Embryos 69

HOHN, B., DNA as Substrate for Packaging into Bacteriophage Lambda *In Vitro* 93

HOHN, T., FLICK, H. and HOHN, B., Petit λ, a Family of Particles from Coliphage Lambda Infected Cells 107

HULL, W. E. and SYKES, B. D., Fluorotyrosine Alkaline Phosphatase: Internal Mobility of Individual Tyrosines and the Role of Chemical Shift Anisotropy as a ^{19}F Nuclear Spin Relaxation Mechanism in Proteins . . . 121

KOEPPE II, R. E., STROUD, R. M., PENA, V. A. and SANTI, D. V., A Pulsed Diffusion Technique for the Growth of Protein Crystals for X-ray Diffraction 155

WARD, K. B., WISHNER, B. C., LATTMAN, E. E. and LOVE, W. E., Structure of Deoxyhemoglobin A Crystals Grown from Polyethylene Glycol Solutions . 161

WISHNER, B. C., WARD, K. B., LATTMAN, E. E. and LOVE, W. E., Crystal Structure of Sickle-cell Deoxyhemoglobin at 5 Å Resolution . . . 179

ROMMELAERE, J. and MILLER-FAURÈS, A., Detection by Density Equilibrium Centrifugation of Recombinant-like DNA Molecules in Somatic Mammalian Cells 195

Grivell, A. R., Grivell, M. B. and Hanawalt, P. C., Turnover in Bacterial DNA Containing Thymine or 5-Bromouracil. 219

Unwin, P. N. T., Beef Liver Catalase Structure: Interpretation of Electron Micrographs 235

Selsing, E., Arnott, S. and Ratliff, R. L., Conformations of Poly [d(A-T-T)]·poly [d(A-A-T)] 243

Eventoff, W., Hackert, M. L. and Rossmann, M. G., A Low-resolution Crystallographic Study of Porcine Heart Lactate Dehydrogenase . . 249

Letters to the Editor

White, J., Rossmann, M. G. and Ford, G. C., A 5 Å X-ray Diffraction Study of Coenzyme-deficient Lactate Dehydrogenase: NAD-Pyruvate Ternary Complex 259

Arnott, S. and Selsing, E., The Conformation of *C*-DNA . . . 265

Tsugita, A., Black, L. W. and Showe, M. K., Protein Cleavage during Virus Assembly: Characterization of Cleavage in T4 Phage . . 271

Jordan, B. R., Demonstration of Intact 26 S Ribosomal RNA Molecules in *Drosophila* Cells 277

Number 2, 25 October 1975

McLachlan, A. D., Stewart, M. and Smillie, L. B., Sequence Repeats in α-Tropomyosin 281

McLachlan, A. D. and Stewart, M., Tropomyosin Coiled-coil Interactions: Evidence for an Unstaggered Structure. 293

Bastia, D., Sueoka, N. and Cox, E. C., Studies on the Late Replication of Phage Lambda: Rolling-circle Replication of the Wild Type and a Partially Suppressed Strain, *O*am29 *P*am80 305

Liau, M. C. and Hurlbert, R. B., The Topographical Order of 18 S and 28 S Ribosomal Ribonucleic Acids within the 45 S Precursor Molecule . . 321

Giacometti, G. M., Focesi, A., Jr, Brunori, M. and Wyman, J., Effect of Light on Carbon Monoxide Binding by Erythrocruorin 333

Federov, B. A., A "Block" Approach to the Study of Highly Helical Proteins by X-ray Scattering in Solution 341

Marx, K. A. and Hearst, J. E., The Two Component Kinetic Analysis Method. Evidence for Two Renaturing Components in Mouse Satellite DNA and *Dipodomys ordii* HS-β Satellite DNA 355

Siu, C.-H., Chiang, K.-S. and Swift, H., Characterization of Cytoplasmic and Nuclear Genomes in the Colorless Alga *Polytoma*. V. Molecular Structure and Heterogeneity of Leucoplast DNA 369

Drlica, K. and Worcel, A., Conformational Transitions in the *Escherichia coli* Chromosome: Analysis by Viscometry and Sedimentation . . . 393

Susskind, M. M. and Botstein, D., Mechanism of Action of *Salmonella* Phage P22 Antirepressor 413

Hutton, J. R. and Thomas, C. A., Jr, The Origin of Folded DNA Rings from *Drosophila melanogaster* 425

Letter to the Editor

Moore, P. B., The Distribution of Half-cystine in the Ribosomal Proteins of *Escherichia coli* 439

Erratum 445

Number 3, 5 November 1975

Gillis, M. and de Ley, J., Determination of the Molecular Complexity of Double-stranded Phage Genome DNA from Initial Renaturation Rates. The Effect of DNA Base Composition 447

Pruss, G. J., Wang, J. C. and Calendar, R., *In Vitro* Packaging of Covalently Closed Circular Monomers of Bacteriophage DNA 465

Sarma, R. and Zaloga, G., Structure Studies on Styrene-treated Immunoglobulin Crystals 479

Scanlon, W. J. and Eisenberg, D., Solvation of Crystalline Proteins: Theory and its Application to Available Data 485

Appendix—Physical meaning of S for a real crystal 501

Southern, E. M., Detection of Specific Sequences Among DNA Fragments Separated by Gel Electrophoresis 503

Parry, D. A. D., Analysis of the Primary Sequence of α-Tropomyosin from Rabbit Skeletal Muscle 519

Friedman, D. I. and Ponce-Campos, R., Differential Effect of Phage Regulator Functions on Transcription from Various Promoters. Evidence that the P22 gene *24* and the λ Gene *N* Products Distinguish Three Classes of Promoters 537

Murray, K. and Murray, N. E., Phage Lambda Receptor Chromosomes for DNA Fragments made with Restriction Endonuclease III of *Haemophilus influenzae* and Restriction Endonuclease I of *Escherichia coli* . . . 551

Richardson, J. P., Attachment of Nascent RNA Molecules to Superhelical DNA 565

Cassoly, R., Relations between Optical Spectrum and Structure in Nitrosyl Hemoglobin and Hybrids 581

Campbell, I. D., Lindskog, S. and White, A. I., A Study of the Histidine Residues of Human Carbonic Anhydrase C using 270 MHz Proton Magnetic Resonance 597

Ribolini, A. and Baylor, M., Novel Multi-nonsense Suppressor in Bacteriophage T_4D 615

Letters to the Editor

Crowther, R. A., Amos, L. A. and Finch, J. T., Three-dimensional Image Reconstructions of Bacteriophages R17 and f2 631

Bergsma, J., Hol, W. G. J., Jansonius, J. N., Kalk, K. H., Ploegman, J. H. and Smit, J. D. G., The Double Domain Structure of Rhodanese 637

Hughes, S. G. and Hattman, S., The Sensitivity of Bacteriophage Lambda DNA to Restriction Endonuclease RII 645

Greer, J., Automated Interpretation of Electron Density Maps of Proteins: A Note on α-Helical Regions 649

Announcement 655

Number 4, 15 November 1975

Venyaminov, S. Yu., Rodikova, L. P., Metlina, A. L. and Poglazov, B. F., Secondary Structure Change of Bacteriophage T4 Sheath Protein during Sheath Contraction 657

Weisel, J. W. and Szent-Györgyi, A. G., The Coiled-coil Structure: Identity of the Two Chains of *Mercenaria* Paramyosin 665

Weisel, J. W., Paramyosin Segments: Molecular Orientation and Interactions in Invertebrate Muscle Thick Filaments 675

Fehlhammer, H. and Bode, W., The Refined Crystal Structure of Bovine β-Trypsin at 1·8 Å Resolution. I. Crystallization, Data Collection and Application of Patterson Search Techniques 683

Bode, W. and Schwager, P., The Refined Crystal Structure of Bovine β-Trypsin at 1·8 Å Resolution. II. Crystallographic Refinement, Calcium Binding Site, Benzamidine Binding Site and Active Site at pH 7·0 . . 693

Paetkau, V., Langman, L. and Miller, R. C., Jr, The Origin of Nascent Single-stranded Fragments in Replicating T7 DNA 719

Srinivasan, R., Balasubramanian, R. and Rajan, S. S., Some New Methods and General Results of Analysis of Protein Crystallographic Structural Data 739

Schwarz, U., Ryter, A., Rambach, A., Hellio, R. and Hirota, Y., Process of Cellular Division in *Escherichia coli:* Differentiation of Growth Zones in the Sacculus 749

Celma, M. L. and Ehrenfeld, E., Translation of Poliovirus RNA *in vitro*: Detection of Two Different Initiation Sites 761

Prakash, L., Repair of Pyrimidine Dimers in Nuclear and Mitochondrial DNA of Yeast Irradiated with Low Doses of Ultraviolet Light . . 781

Ryter, A. and Chang, A., Localization of Transcribing Genes in the Bacterial Cell by Means of High Resolution Autoradiography 797

Molineux, I. J. and Gefter, M. L., Properties of the *Escherichia coli* DNA-binding (Unwinding) Protein Interaction with Nucleolytic Enzymes and DNA 811

Letters to the Editor

Wittmann, H. G., Yaguchi, M., Piepersberg, W. and Böck, A., Direction of Transcription of Two Ribosomal Protein Genes in *Escherichia coli* 827

Bretscher, M. S., C-Terminal Region of the Major Erythrocyte Sialoglycoprotein is on the Cytoplasmic side of the Membrane . . 831

Li, S.-T., Golub, E. and Katz, E. P., Electrostatic Side Chain Complementarity in Collagen Fibrils 835

Index to Volume 98

Alkaline phosphatase, fluorotyrosine: internal mobility of individual tyrosines and the role of chemical shift anisotropy as a ^{19}F nuclear spin relaxation mechanism in proteins, 121
Amos, L. A. (see also Crowther, R. A.), 631
Antirepressor, *Salmonella* phage P22. mechanism of action, 413
Arnott, S. & Selsing, E., The conformation of *C*-DNA, 265
—, S. (see also Selsing, E.), 243
Ashton, F. T., Somlyo, A. V. & Somlyo, A. P., The contractile apparatus of vascular smooth muscle: intermediate high voltage stero electron microscopy, 17
ATP levels, decreased, and increased membrane permeability following T7 infection of *Escherichia coli:* F factor-mediated inhibition of bacteriophage T7 growth, 45
Autoradiography, high resolution, used to localize transcribing genes in the bacterial cell, 797

Bacterial cell, localization of transcribing genes by means of high resolution autoradiography, 797
Bacteriophage DNA, *in vitro* packaging of covalently closed circular monomers, 465
— genome DNA, double-stranded, determination of the molecular complexity from initial renaturation rates. The effect of DNA base composition, 447
— λ, DNA as substrate for *in vitro* packaging, 93
— — —, sensitivity to restriction endonuclease RII, 645
— — receptor chromosomes for DNA fragments made with restriction endonuclease III of *Haemophilus influenzae* and restriction endonuclaese I of *Escherichia coli*, 551
— —, studies on late replication: rolling-circle replication of the wild-type and a partially suppressed strain, *O*am29 *P*am80, 305
— p22 antirepressor, *Salmonella*, mechanism of action, 413
— — gene *24* and λ gene *N* products distinguish three classes of promoters: differential effect of phage regulator functions on transcription from various promoters, 537
— PM2 DNA, attachment of nascent RNA molecules, 565
— T4, characterization of cleavage during virus assembly, 271
— — sheath protein, secondary structure change during sheath contraction, 657
— T_4D, novel multi-nonsense suppressor, 615
— T7 DNA, replicating, the origin of nascent single-stranded fragments, 719
— — F factor-mediated inhibition of growth: analysis of T7 RNA and protein synthesis *in vivo* and *in vitro* using male and female *Escherichia coli*, 31
— — — — — — — — — : increased membrane permeability and decreased ATP levels following T7 infection of male *Escherichia coli*, 45
— — RNAs synthesized *in vitro* by purified T7 RNA polymerase, translational mapping, 57
— R17 and f2, three-dimensional image reconstructions, 631
Baker, R. F. (see also Case, S. T.), 69
Balasubramanian, R. (see also Srinivasan, R.), 739
Bastia, D., Sueoka, N. & Cox, E. C., Studies on the late replication of phage lambda: rolling circle replication of the wild type and a partially suppressed strain, *O*am29 *P*am80, 305
Baylor, M. (see also Ribolini, A.), 615
Beef liver catalase structure: interpretation of electron micrographs, 235
Benzamidine binding site of bovine β-trypsin, 693
Berg, P. (see also Carbon, J.), 1
Bergsma, J., Hol, W. G. J., Jansonius, J. N., Kalk, K. H., Ploegman, J. H. & Smit, J. D. G., The double domain structure of rhodanese, 637
Black, L. W. (see also Tsugita, A.), 271
"Block" approach to the study of highly helical proteins by X-ray scattering in solution, 341
Böck, A. (see also Wittmann, H. G.), 827
Bode, W. & Schwager, P., The refined crystal structure of bovine β-trypsin at 1·8 Å resolution. II. Crystallographic refinement, calcium binding site, benzamidine binding site and active site at pH 7·0, 693
— (see also Fehlhammer, H.), 683

Botstein, D. (see also Susskind, M. M.), 413
Bovine β-tryspin refined crystal structure at 1·8 Å resolution. I. Crystallization, data collection and application of Patterson search techniques, 683
— — — — — — — — —. II. Crystallographic refinement, calcium binding site, benzamidine binding site and active site at pH 7·0, 693
Bretscher, M. S., C-terminal region of the major erythrocyte sialoglycoprotein is on the cytoplasmic side of the membrane, 831
5-Bromouracil- or thymine-containing DNA, turnover, 219
Brunori, M. (see also Giacommeti, G. M.), 333

Calcium binding site of bovine β-trypsin, 693
Calendar, R. (see also Pruss, G. J.), 465
Campbell, I. D., Lindskog, S. & White, A. I., A study of the histidine residues of human carbonic anhydrase C using 270 MHz proton magnetic resonance, 597
Carbon, J., Shenk, T. E. & Berg, P., Construction *in vitro* of mutants of Simian virus 40: insertion of a poly (dA·dT) segment at the *Hemophilus parainfluenza* II restriction endonuclease cleavage site, 1
Carbon monoxide binding by erythrocruorin, effect of light, 333
Carbonic anhydrase C, human, a study of the histidine residues using 270 MHz proton n.m.r., 597
Case, S. T. & Baker, R. F., Detection of long eukaryote-specific pyrimidine runs in repetitive DNA sequences and their relation to single-stranded regions in DNA isolated from sea urchin embryos, 69
Cassoly, R., Relations between optical spectrum and structure in nitrosyl hemoglobin and hybrids, 581
Catalase, beef liver, structure interpretation from electron micrographs, 235
C-DNA conformation, 265
Cellular division process in *Escherchia coli:* differentiation of growth zones in the sacculus, 749
Celma, M. L. & Ehrenfeld, E., Translation of poliovirus RNA *in vitro:* detection of two different initiation sites, 761
Chang, A. (see also Ryter, A.), 797
Chemical shift anisotropy, role as a ^{19}F nuclear spin relaxation mechanism in proteins, 121
Chiang, K. S. (see also Siu, C.-H.), 369
Chromosomes from *Escherichia coli:* conformational transitions analysed by viscometry and sedimentation, 393
—, receptor, phage λ, for DNA fragments made with restriction endonuclease III of *Haemophilus influenzae* and restriction endonuclease I of *Escherichia coli*, 551
Circular DNA packaging *in vitro*, 465
Cleavage of protein in bacteriophage T4, 271
— — Simian virus 40 by *Hemophilus parainfluenza* restriction endonuclease and insertion of a poly (dA·dT) segment, 1
Coiled-coil interactions of tropomyosin: evidence for an unstaggered structure, 293
— — structure: identity of the two chains of *Mercenaria* paramyosin, 665
Coliphage lambda infected cells, a family of particles, petit λ, 107
Collagen fibrils, electrostatic sids chain complementarity, 835
Condit, R. C., F factor-mediated inhibition of bacteriophage T7 growth: increased membrane permeability and decreased ATP levels following T7 infaction of male *Escherichia coli*, 45
—. & Steitz, J. A., F factor-mediated inhibition of bacteriophage T7 growth: analysis of T7 RNA and protein synthesis *in vivo* and *in vitro* using male and female *Escherichia coli*, 31
—. (see also Niles, E. G.), 57
Conformation of *C*-DNA, 265
Conformational transitions in the *Escherichia coli* chromosome: analysis by viscometry and sedimentation, 393
Conformations of poly [d(A-T-T)]·poly[d(A-A-T)], 243
Contractile apparatus of vascular smooth muscle: intermediate high voltage stero electron microscopy, 17
Cox, E. C. (see also Bastia, D.), 305
Crowther, R. A., Amos, L. A. & Finch, J. T., Three-dimensional image reconstructions of bacteriophages R17 and f2, 631
Crystal structure of deoxyhemoglobin A; crystals grown from polyethylene glycol solutions, 161
— — — proteins, some new methods and general results of analysis of data, 739
— — — sickle-cell deoxyhemoglobin at 5 Å resolution, 179
— —, refined, of bovine β-trypsin at 1·8 Å resolution. I. Crystallization, data collection and application of Patterson search techniques, 683

Crystal structure, refined, of bovine β-trypsin at 1·8 Å resolution. II. Crystallographic refinement, calcium binding site, benzamidine binding site and active site at pH 7·0, 693
Crystalline protein solvation: theory and its application to available data, 485
Crystallographic study, low resolution, of porcine heart lactate dehydrogenase, 249
Crystals for X-ray diffraction, a pulsed diffusion technique for the growth of protein crystals, 155
— of styrene-treated immunoglobulin, studies of structure, 479
C-terminal region of the major erythrocyte sialoglycoprotein is on the cytoplasmic side of the membrane, 831
Cytoplasmic and nuclear genomes in the colorless alga *Polytoma:* molecular structure and heterogeneity of leucoplast DNA, 369

de Ley, J. (see also Gillis, M.), 447
Dehydrogenase for porcine heart lactate, a low-resolution crystallographic study, 249
Density equilibrium centrifugation detection of recombinant-like DNA molecules in somatic mammalian cells, 195
Deoxyhemoglobin A crystals grown from polyethylene glycol solutions, structure determination, 161
—, sickle-cell, crystal structure at 5 Å resolution, 179
Deoxyribonucleic acid as substrate for packaging into bacteriophage λ *in vitro*, 93
— —, bacteriophage, *in vitro* packaging of covalently closed circular monomers, 465
— — binding (unwinding) protein of *Escherichia coli*, interaction with nucleolytic enzymes and DNA, 811
— —, C-, conformation, 265
— —, double-stranded, of phage genome, determination of the molecular complexity from initial renaturation rates. The effect of DNA base composition, 447
— — folding rings from *Drosophila melanogaster*, determination of origin, 425
— — fragments made with restriction endonuclease III of *Haemophilis influenzae* and restriction endonuclease I of *Escherichia coli*, phage λ receptor chromosomes, 551
— — — separated by gel electrophoresis, detection of specific sequences, 503
— — isolated from sea urchin enbryos, detection of long eukaryote-specific pyrimidine runs in repetitive DNA sequences and their relation to single-stranded regions, 69
— — kinetic heterogeneity: evidence for two renaturing components in mouse satellite DNA and *Dipodomys ordii* HS-β satellite DNA, 355
— —, leucoplast, of colorless alga *Polytoma*, molecular structure and heterogeneity, 369
— — molecules, recombinant-like, in somatic mammalian cells, detection by density equilibrium centrifugation, 195
— —, nuclear and mitochondrial, of yeast irradiated with low doses of ultraviolet light, repair of pyrimidine dimers, 781
— — of bacteriophage λ, sensitivity to restriction endonuclease RII, 645
— —, replicating, of T7, the origin of nascent single-stranded fragments, 719
— —, superhelical, attachment of nascent RNA molecules, 565
— — turnover in bacterial DNA containing thymine or 5-bromouracil, 219
Diffusion, pulsed, technique for the growth of protein crystals for X-ray diffraction, 155
Dipodomys ordii HS-β satellite DNA and mouse satellite DNA, evidence for two renaturing components, 355
Double domain structure of rhodanese, 637
Drlica, K. & Worcel, A., Conformational transitions in the *Escherichia coli* chromosome: analysis by viscometry and sedimentation, 393
Drosophila cells, demonstration of intact 26 S ribosomal RNA molecules, 277
Drosophila melanogaster, origin of folded DNA rings, 425

Ehrenfeld, E. (see also Celma, M. L.), 761
Eisenberg, D. (see also Scanlon, W. J.), 485
Electron density maps of proteins, automated interpretation: a note on α-helical regions, 649
— micrographs of beef liver catalase, structure interpretation, 235
— microscopy, stereo, high voltage, of vascular smooth muscle: the contractile apparatus, 17
Electrostatic side chain complementarity in collagen fibrils, 835
Endonuclease III, restriction, of *Haemophilus influenzae* and restriction endonuclease I of *Escherichia coli*, formation of DNA fragments for which phage λ chromosomes serve as receptor, 551
— RII, restriction, effect on bacteriophage λ DNA, 645
Enzymes, nucleolytic, and DNA, interaction with *Escherichia coli* DNA-binding (unwinding) protein, 811

Erythrocruorin, carbon monoxide binding, effect of light, 333
Erythrocyte sialoglycoprotein, major, C-terminal region is on the cytoplasmic side of the membrane, 831
Escherichia coli chromosome: conformational transitions analysed by viscometry and sedimentation, 393
— —, direction of transcription of two ribosomal protein genes, 827
— —, distribution of half-cystine in the ribosomal proteins, 439
— — DNA-binding (unwinding) protein interaction with nucleolytic enzymes and DNA, 811
— —, male and female, used in T7 RNA and protein synthesis *in vivo* and *in vitro*: F factor-mediated inhibition of bacteriophage T7 growth, 31
— —, —, increased membrane permeability and decreased ATP levels following T7 infection: F factor-mediated inhibition of bacteriophage T7 growth, 45
— —, process of cellular division: differentiation of growth zones in the sacculus, 749
— — restriction endonuclease I and *Haemophilus influenzae* restriction endonuclease III form DNA fragments for which phage λ chromosomes serve as receptor, 551
Eukaryote-specific pyrimidine runs, long, detection in repetitive DNA sequences and relation to single-stranded regions in DNA isolated from sea urchin embryos, 69
Eventoff, W., Hackert, M. L. & Rossmann, M. G., A low-resolution crystallographic study of porcine heart lactate dehydrogenase, 249

F factor-mediated inhibition of bacteriophage T7 growth: analysis of T7 RNA and protein synthesis *in vivo* and *in vitro* using male and female *Escherichia coli*, 31
— — — — — — — —: increased membrane permeability and decreased ATP levels following T7 infection of male *Escherichia coli*, 45
f2 (see Bacteriophage), 631
^{19}F nuclear spin relaxation mechanism in proteins; role of chemical shift anisotropy, 121
Federov, B. A., A "block" approach to the study of highly helical proteins by X-ray scattering in solution, 341
Fehlhammer, H. & Bode, W., The refined crystal structure of bovine β-trypsin at 1·8 Å resolution. I. Crystallization, data collection and application of Patterson search techniques, 683
Fibrils, collagen, electrostatic side chain complementarity, 835
Filaments, thick, of invertebrate muscle, molecular orientation and interactions: paramyosin segments, 675
Finch, J. T. (see also Crowther, R. A.), 631
Flick, H. (see also Hohn, T.), 107
Fluorotyrosine alkaline phosphatase: internal mobility of individual tyrosines and the role of chemical shift anisotropy as a ^{19}F nuclear spin relaxation mechanism in proteins, 121
Focesi, A., Jr (see also Giacometti, G. M.), 333
Folded rings from *Drosophila melanogaster* DNA, determination of origin, 425
Ford, G. C. (see also White, J.), 259
Friedman, D. I. & Ponce-Campos, R., Differential effect of phage regulator functions on transcription from various promoters. Evidence that the P22 gene *24* and the λ gene *N* products distinguish three classes of promoters, 537

Gefter, M. L. (see also Molineux, I. J.), 811
Gel electrophoresis, detection of specific sequences among separated DNA fragments, 503
Genes of two ribosomal proteins in *Escherichia coli*, direction of transcription, 827
—, transcribing, localization in the bacterial cell by means of high resolution autoradiography, 797
Genome size in bacteriophages, determination from initial renaturation rates. The effect of DNA base composition, 447
Genomes, cytoplasmic and nuclear, in the colourless alga *Polytoma*: molecular structure and heterogeneity of leucoplast DNA, 369
Giacometti, G. M., Focesi, A., Jr, Brunori, N. & Wyman, J., Effect of light on carbon monoxide binding by erythrocruorin, 333
Gillis, M. & de Ley, J., Determination of the molecular complexity of double-stranded phage genome DNA from initial renaturation rates. The effect of DNA base composition, 447
Golub, E. (see also Li, S. T.), 835
Greer, J., Automated interpretation of electron density maps of proteins: a note on α-helical regions, 649
Grivell, A. R., Grivell, M. B. & Hanawalt, P. C., Turnover in bacterial DNA containing thymine or 5-bromouracil, 219
Grivell, M. B. (see also Grivell, A. R.), 219

Growth inhibition, F factor-mediated, of bacteriophage T7: analysis of T7 RNA and protein synthesis *in vivo* and *in vitro* using male and female *Escherichia coli*, 31
— — — — — — —: increased membrane permeability and decreased ATP levels following T7 infection of male *Escherichia coli*, 45
— zones in the sacculus: process of cellular division in *Escherichia coli*, 749

Hackert, M. L. (see also Eventoff, W.), 249
Half-cystine distribution in the ribosomal proteins of *Escherichia coli*, 439
Hanawalt, P. C. (see also Grivell, A. R.), 219
Hattman, S. (see also Hughes, S. G.), 645
Hearst, J. E. (see also Marx, K. A.), 355
Heart lactate dehydrogenase, porcine, a low-resolution crystallographic study, 249
α-Helical regions in electron density maps of proteins, automated interpretation, 649
Hellio, R. (see also Schwarz, U.), 749
Hemoglobin, nitrosyl, and hybrids, relations between optical spectrum and structure, 581
Haemophilus influenzae restriction endonuclease III and *Escherichia coli* restriction endonuclease I form DNA fragments for which phage λ chromosomes serve as receptor, 551
Hemophilus parainfluenza II restriction endonuclease cleavage site of Simian virus 40, construction *in vitro* of mutants by insertion of a poly(dA·dT) segment, 1
Hirota, Y. (see also Schwarz, U.), 749
Histidine residues of human carbonic anhydrase C studied by 270 MHz proton magnetic resonance, 597
Hohn, B., DNA as substrate for packaging into bacteriophage lambda *in vitro*, 93
—, B. (see also Hohn, T.), 107
Hohn, T., Flick, H. & Hohn, B., Petit λ, a family of particles from coliphage lambda infected cells, 107
Hol, W. G. J. (see also Bergsma, J.), 637
Hughes, S. G. & Hattman, S., The sensitivity of bacteriophage lambda DNA to restriction endonuclease RII, 645
Hull, W. E. & Sykes, B. D., Fluorotyrosine alkaline phosphatase: internal mobility of individual tyrosines and the role of chemical shift anisotropy as a ^{19}F nuclear spin relaxation mechanism in proteins, 121
Human carbonic anhydrase C, a study of the histidine residues using 270 MHz proton n.m.r., 597
Hurlbert, R. B. (see also Liau, M. C.), 321
Hutton, J. R. & Thomas, C. A., Jr, The origin of folded DNA rings from *Drosophila melanogaster*, 425

Image reconstructions, three-dimensional, of bacteriophages R17 and f2, 631
Immunoglobulin crystals, styrene-treated, studies of structure, 479
Initiation sites: detection of two different sites in translation of poliovirus RNA *in vitro*, 761
Invertebrate muscle thick filaments, molecular orientation and interactions: paramyosin segments, 675

Jansonius, J. N. (see also Bergsma, J.), 637
Jordon, B. R., Demonstration of intact 26 S ribosomal RNA molecules in *Drosophila* cells, 277

Kalk, K. H. (see also Bergsma, J.), 637
Katz, E. P. (see also Li, S.-T.), 835
Kinetic analysis method, two component. Evidence for two renaturing components in mouse satellite DNA and *Dipodomys ordii* HS-β satellite DNA, 355
Koeppe II, R. E., Stroud, R. M., Pena, V. A. & Santi, D. V., A pulsed diffusion technique for the growth of protein crystals for X-ray diffraction, 155
λ (see Bacteriophage), 93, 305, 537, 551, 645
— (see Coliphage), 107

Lactate dehydrogenase of porcine heart, a low-resolution crystallographic study, 249
— —: NAD-pyruvate ternary complex coenzyme-deficient, a 5 Å X-ray diffraction study, 259
Langman, L.(see also Paetkau, V.), 719

Lattman, E. E. (see also Ward, K. B.), 161
—. (see also Wishner, B. C.), 179
Leucoplast DNA in the colorless alga *Polytoma*, molecular structure and heterogeneity, 369
Li, S.-T., Golub, E. & Katz, E. P., Electrostatic side chain complementarity in collagen fibrils, 835
Liau, M. C. & Hurlbert, R. B. The topographical order of 18 S and 28 S ribosomal ribonucleic acids within the 45 S precursor molecule, 321
Light, effect on carbon monoxide binding by erythrocruorin, 333
Lindskog, S. (see also Campbell, I. D.), 597
Liver, beef, catalase structure: interpretation of electron micrographs, 235
Love, W. E. (see also Ward, K. B.), 161
—. (see also Wishner, B. C.), 179

McLachlan, A. D. & Stewart, M., Tropomyosin coiled-coil interactions: evidence for an unstaggered structure, 293
—., Stewart, M. & Smillie, L. B., Sequence repeats in α-tropomyosin, 281
Mammalian cells, somatic, detection by density equilibrium centrifugation of recombinant-like DNA molecules, 195
Mapping, translational, of bacteriophage T7 RNAs synthesized *in vitro* by purified T7 RNA polymerase, 57
Marx, K. A. & Hearst, J. E., The two component kinetic analysis method. Evidence for two renaturing components in mouse satellite DNA and *Dipodomys ordii* HS-β satellite DNA, 355
Membrane permeability, increased, and decreased ATP levels following T7 infection of male *Escherichia coli:* F factor-mediated inhibition of bacteriophage T7 growth, 45
Mercenaria paramyosin structure: identity of the two chains, 665
Metlina, A. L. (see also Venyaminov, S. Yu.), 657
Miller, R. C., Jr (see also Paetkau, V.), 719
Miller-Faurès, A. (see also Rommelaere, J.), 195
Mitochondrial and nuclear DNA of yeast irradiated with low doses of ultraviolet light, repair of pyrimidine dimers, 781
Molineux, I. J. & Gefter, M. L., Properties of the *Escherichia coli* DNA-binding (unwinding) protein interaction with nucleolytic enzymes and DNA, 811
Moore, P. B., The distribution of half-cystine in the ribosomal proteins of *Escherichia coli*, 439
Mouse satellite DNA and *Dipodomys ordii* HS-β satellite DNA, evidence for two renaturing components, 355
Murray, K. & Murray, N. E., Phage lambda receptor chromosomes for DNA fragments made with restriction endonuclease III of *Haemophilus influenzae* and restriction endonuclase I of *Escherichia coli*, 551
Murray, N. E. (see also Murray, K.), 551
Muscle, invertebrate, thick filaments, molecular orientation and interactions: paramyosin segments, 675
—, skeletal, of rabbit, analysis of the primary sequence of α-tropomyosin, 519
—, smooth, vascular, contractile apparatus: intermediate high voltage stereo electron microscopy, 17
Mutants of Simian virus 40, construction *in vitro:* insertion of a poly(dA·dT) segment at the *Hemophilus parainfluenza* II restriction endonuclease cleavage site, 1

Niles, E. G. & Confit, R. C., Translational mapping of bacteriophage T7 RNAs synthesized *in vitro* by purified T7 RNA polymerase, 57
Nitrosyl hemoglobin and hybrids, relations between optical spectrum and structure, 581
Nonsense, multi-, suppressor in bacteriophage, T_4D, 615
Nuclear and cytoplasmic genomes in the colorless alga *Polytoma:* molecular structures and heterogeneity of leucoplast DNA, 369
— — mitochondrial DNA of yeast irradiated with low doses of ultraviolet light, repair of pyrimidine dimers, 781
— magnetic reasonance study of the histidine residues of human carbonic anhydrase C, 597
— spin relaxation mechanism, ^{19}F, in proteins, role of chemical shift anisotropy, 121

*O*am29 *P*am80, a partially suppressed strain, and wild type phage λ, rolling-circle late replication, 305

P22 (se Bacteriophage), 413, 537
PM2 (see Bacteriophage), 565
Packaging *in vitro*, into bacteriophage λ, DNA as substrate, 93
— — — of covalently closed circular monomers of bacteriophage DNA, 465
Paetkau, V., Langman, L. & Miller, R. C., Jr, The origin of nascent single-stranded fragments in replicating T7 DNA, 719
Paramyosin of *Mercenaria*, identity of the two chains, 665
— segments: molecular orientation and interactions in invertebrate muscle thick filaments, 675
Parry, D. A. D., Analysis of the primary sequence of α-tropomyosin from rabbit skeletal muscle, 519
Patterson search techniques, application to determination of refined crystal structure of bovine β-trypsin, 683
Pena, V. A. (see also Koeppe II, R. E.), 155
Petit λ, a family of particles from coliphage lamdba infected cells, 107
Piepersberg, W. (see also Wittmann, H. G.), 827
Ploegman, J. H. (see also Bergsma, J.), 637
Poglazov, B. F. (see also Venyaminov, S. Yu.), 657
Poliovirus RNA, translation *in vitro:* detection of two different initiation sites, 761
Poly(dA·dT) segment inserts into Simian virus 40 at the *Hemophilus parainfluenza* II restriction endonuclase cleavage site, 1
Poly [d(A-T-T)]·poly[d(A-A-T)] conformations, 243
Polyethylene glycol solutions used in growth of deoxyhemoglobin A crystals: structure determination at 3·5 Å, 161
Polymerase for T7 RNA, purified, used in *in vitro* synthesis of bacteriophage T7 RNAs; translational mapping of RNAs, 57
Polytoma, colorless alga, characterization of cytoplasmic and nuclear genomes: molecular structure and heterogeneity of leucoplast DNA, 369
Ponce-Campos, R. (see also Friedman, D. I.), 537
Porcine heart lactate dehydrogenase, a low-resolution crystallographic study, 249
Prakash, L., Repair of pyrimidine dimers in nuclear and mitochondrial DNA of yeast irradiated with low doses of ultraviolet light, 781
Precursor 45 S ribsomal RNA, topographical order of 18 S and 28 S ribosomal RNA within, 321
Promoters, three classes distingushied from P22 gene *24* and λ gene *N* products: differential effect of phage regulator functions on transcription from various promoters, 537
Protein and RNA synthesis, T7, *in vivo* and *in vitro* using male and female *Escherichia coli:* F factor-mediated inhibition of bacteriophage T7 growth, 31
— cleavage during virus assembly: characterization of cleavage in T7 phage, 271
— crystallographic structural data, some new methods and general results of analysis, 739
— crystals for X-ray diffraction, a pulsed diffusion technique for growth, 155
—, DNA-binding (unwinding), of *Escherichia coli*, properties of interaction with nucleolytic enzymes and DNA, 811
—, flourotyrosine alkaline phosphatase: internal mobility of individual tyrosines and the role of chemical shift anisotropy as a ^{19}F nuclear spin relaxation mechanism, 121
— of bacteriophage T4 sheath, secondary structure change during sheath contraction, 657
Proteins, automated interpretation of electron density maps: a note on α-helical regions, 649
—, crystalline, theory of solvation and its application to available data, 485
—, highly helical, a "block" approach to their study by X-ray scattering in solution, 341
—, ribosomal, of *Escherichia coli*, distribution of half-cystine, 439
— —, two, in *Escherichia coli*, direction of transcription of genes, 827
Proton n.m.r. study of the histidine residues of human carbonic anhydrase C, 597
Pruss, G. J., Wang, J. G. & Calendar, R., *In vitro* packaging of covalently closed circular monomers of bacteriophage DNA, 465
Pulsed diffusion technique for the growth of protein crystals for X-ray diffraction, 155
Pyrimidine dimer repair in nuclear and mitochondrial DNA of yeast irradiated with low doses of ultraviolet light, 781
— runs, eukaryote-specific, long, detection in repetitive DNA sequences and relation to single-stranded regions in DNA isolated from sea urchin embryos, 69

R17 (see Bacteriophage), 631
Rabbit skeletal muscle, analysis of the primary sequence of α-tropomyosin, 519
Rajan, S. S. (see also Srinivasan, R.), 739
Rambach, A. (see also Schwarz, U.), 749
Ratliff, R. L. (see also Selsing, E.), 243

Receptor chromosomes of phage λ for DNA fragments made with restriction endonuclease III of *Haemophilus influenzae* and restriction endonuclease I of *Escherichia coli*, 551
Recombinant-like DNA molecules in somatic mammalian cells, detection by density equilibrium centrifugation, 195
Repair of pyrimidine dimers in nuclear and mitochondrial DNA of yeast irradiated with low doses of ultraviolet light, 781
Replication, late, of phage lambda: rolling-circle replication of the wild type and a partially suppressed strain, *O*am29 *P*am80, 305
— of T7 DNA, the origin of nascent single-stranded fragments, 719
Renaturation rates, initial, used to determine the molecular complexity of double-stranded phage genome DNA. The effect of DNA base compositions, 447
Renaturing components, two, in mouse satellite DNA and *Dipodomys ordii* HS-β satellite DNA, 355
Restriction endonuclease, *Hemophilus parainfluenza* II, cleaves Simian virus 40: construction *in vitro* of mutants by insertion of a poly(dA·dT) segment, 1
— — III of *Haemophilus influenzae* and restriction endonuclase I of *Escherichia coli* form DNA fragments for which phage λ chromsomes serve as receptor, 551
— — RII, effect on bacteriophage λ DNA, 645
Rhodanese, double domain structure, 637
Ribolini, A. & Baylor, M., Novel multi-nonsense suppressor in bacteriophage T_4D, 615
Ribonucleic acid and protein synthesis, T7, *in vivo* and *in vitro* using male and female *Escherichia coli:* F factor mediated inhibition of bacteriophage T7 growth, 31
— — molecules, nascent, attachment to superhelical DNA, 565
— — of poliovirus, translation *in vitro:* detection of two different initiation sites, 761
— —, 18 S and 20 S ribosomal, topographical order within the 45 S precursor molecule, 321
— —, 26 S ribosomal, demonstration of intact molecules in *Drosophila* cells, 277
— acids of bacteriophage T7 synthesized *in vitro* by purified T7 RNA polymerase, translational mapping, 57
Ribosomal protein genes, two, in *Escherichia coli*, direction of transcription, 827
— proteins of *Esherichia coli*, distribution of half-cystine, 439
— 18 S and 20 S RNA, topographical order within the 45 S precursor molecule, 321
— 26 S RNA molecules, intact, in *Drosophila* cells, 277
Richardson, J. P., Attachment of nascent RNA molecules to superhelical DNA, 565
Rings, folded, from *Drosophila melanogaster* DNA, determination of origin, 425
Rodikova, L. P. (see also Venyaminov, S. Yu.), 657
Rolling circle replication of the wild type and a partially suppressed strain, *O*am29 *P*am80, of phage λ, 305
Rommelaere, J. & Miller-Faurès, A., Detection by density equlibrium centrifugation of recombinant-like DNA molecules in somatic mammalian cells, 195
Rossmann, M. G. (see also Eventoff, W.), 249
—. (see also White, J.), 259
Ryter, A. & Chang, A., Localization of transcribing genes in the bacterial cell by means of high resolution autoradiography, 797
—. (see also Schwarz, I.), 749

Sacculus growth zone differentiation; process of cellular division in *Escherichia coli*, 749
Salmonella phage P22 antirepressor, mechanism of action, 413
Santi, D. V. (see also Koeppe, II, R. E.), 155
Sarma, R. & Zaloga, G., Structure studies on styrene-treated immunoglobulin crystals, 479
Scanlon, W. J. & Eisenberg, D., Solvation of crystalline proteins: theory and its application to available data, 485
Schwager, P. (see also Bode, W.), 693
Schwarz, U., Ryter, A., Rambach, A., Hellio, R. & Hirota, Y., Process of cellular division in *Escherichia coli:* differentiation of growth zones in the sacculus, 749
Sea urchin embryo DNA, detection of long eukaryote-specific pyrimidine runs in repetitive DNA sequences and their relation to single-stranded regions. 69
Sedimentation and viscometry used in analysis of conformational transitions in the *Escherichia coli* chromosome, 393
Segments of paramyosin: molecular orientation and interactions in invertebrate muscle thick filaments, 675

Selsing, E., Arnott, S. & Ratliff, R. L., Conformations of poly [d(A-T-T)]·poly [d(A-A-T)] 243
—. (see also Arnott, S.), 265
Sequence, primary, of α-tropomyosin from rabbit skeletal muscle, 519
— repeats in α-tropomyosin, 281
Sequences, specific, detection among DNA fragments separated by gel electrophoresis, 503
Sheath protein of bacteriophage T4, secondary structure change during sheath contraction, 657
Shenk, T. E. (see also Carbon, J.), 1
Showe, M. K. (see also Tsugita, A.), 271
Sialoglycoprotein, erythrocyte, major, the C-terminal region is on the cytoplasmic side of the membrane, 831
Sickle-cell deoxyhemoglobin, crystal structure at 5 Å resolution, 179
Simian virus 40 (see Virus), 1
Single-stranded regions in DNA isolated from sea urchin embryos, relation to, and detection of, long eukaryote-specific pyrimidine runs in repetitive DNA sequences, 69
Siu, C. H., Chaing, K. S. & Swift, H., Characterization of cytoplasmic and nuclear genomes in the colorless alga *Polytoma*. V. Molecular structure and heterogeneity of leucoplast DNA, 369
Smillie, L. B. (see also McLachlan, A. D.), 281
Smit, J. D. G. (see also Bergsma, J.), 637
Solvation of crystalline proteins: theory and its application to available data, 485
Somatic recombination in mammalian cells, 195
Somlyo, A. P. (see also Ashton, F. T.), 17
Somlyo, A. V. (see also Ashton, F. T.), 17
Southern, E. M., Detection of specific sequences among DNA fragments separated by gel electrophoresis, 503
Spectrum, optical, of nitrosyl hemoglobin and hybrids, and its relation to structure, 581
Srinivasan, R., Balasubramanian & Rajan, S. S., Some new methods and general results of analysis of protein crystallographic structural data, 739
Steitz, J. A. (see also Condit, R. C.), 31
Stereo electron microscopy, high voltage, of vascular smooth muscle: the contractile apparatus, 17
Stewart, M. (see also McLachlan, A. D.), 281, 293
Stroud, R. M. (see also Koeppe II, R. E.), 155
Structure, double domain, of rhodanese, 637
—, molecular, and heterogeneity of leucoplast DNA of the colorless alga *Polytoma*, 369
— of beef liver catalase: interpretation of electron micrographs, 235
— — crystals of sickle-cell deoxyhemoglobin at 5 Å resolution, 179
— — deoxyhemoglobin A crystals grown from polyethylene glycol solutions, 161
— — *Mercenaria* paramyosin: identity of the two chains, 665
— — nitrosyl hemoglobin and hybrids and its relation to the optical spectrum, 581
— — protein crystals, some new methods and general results of analysis of data, 739
— — tropomyosin: coiled-coil interactions provide evidence for unstaggered structure, 293
—, refined, of bovine β-trypsin crystals at 1·8 Å resolution, 683, 693
—, secondary, change of bacteriophage T4 sheath protein during sheath contraction, 657
— studies on styrene-treated immunoglobulin crystals, 479
Styrene-treated immunoglobulin crystals, structure studies, 479
Sueoka, N. (see also Bastia, D.), 305
Suppressor, multi-nonsense, novel, in bacteriophage T_4D, 615
Susskind, M. M. & Botstein, D., Mechanism of action of *Salmonella* phage P22 antirepressor, 413
Swift, H. (see also Siu, C. H.), 369
Sykes, B. D. (see also Hull, W. E.), 121
Szent-Györgyi, A. G. (see also Weisel, J. W.), 665

T4 (see Bacteriophage), 271, 657
T_4D (see Bacteriophage), 615
T7 (see Bacteriophage), 31, 45, 57, 719
Ternary complex, coenzyme-deficient of lactate dehydrogenase: NAD-pyruvate, a 5 Å X-ray diffraction study, 259
Thomas, C. A., Jr (see also Hutton, J. R.), 425
Thymine- or 5-bromouracil-containing DNA, turnover, 219
Topographical order of 18 S and 20 S ribosomal ribonucleic acids within the 45 S precursor molecule, 321

Transcribing genes, localization in the bacterial cell by means of high resolution autoradiography, 797
Transcription direction of two ribosomal protein genes in *Escherichia coli*, 827
— from various promoters, differential effect of phage regulator functions: evidence that the p22 gene *24* and the λ gene *N* products distinguish three classes of promoters, 537
Translation of poliovirus RNA *in vitro:* detection of two different initiation sites, 761
Translational mapping of bacteriophage T7 RNAs synthesized *in vitro* by purified T7 RNA polymerase, 57
Tropomyosin coiled-coil interactions: evidence for an unstaggered structure, 293
α-Tropomyosin from rabbit skeletal muscle, analysis of the primary sequence, 519
— sequence repeats, 281
β-Trypsin, bovine, refined crystal structure at 1·8 Å resolution. I. Crystallization, data collection and application of Patterson search techniques, 683
— — — — — — — — —. II. Crystallographic refinement, calcium binding site, benzamidine binding site and active site at pH 7·0, 693
Tsugita, A., Black, L. W. & Showe, M. K., Protein cleavage during virus assembly: characterization of cleavage in T4 phage, 271
Turnover in bacterial DNA containing thymine or 5-bromouracil, 219

Ultraviolet light, low dose irradiation of yeast, repair of pyrimidine dimers in nuclear and mitochondrial DNA, 781
Unwin, P. N. T., Beef liver catalase structure: interpretation of electron micrographs, 235

Venyaminov, S. Yu., Rodikova, L. P., Metlina, A. L. & Poglazov, B. F., Secondary structure change of bacteriophage T4 sheath protein during sheath contraction, 657
Virus assembly, protein cleavage: characterization of cleavage in T4 phage, 271
—, Simian virus 40, construction *in vitro* of mutants: insertion of a poly(dA·dT) segment at the *Hemophilus parainfluenza* II restriction endonuclease cleavage site, 1
Viscometry and sedimentation used in analysis of conformational transitions in the *Escherichia coli* chromosome, 393

Wang, J. C. (see also Pruss, G. J.), 465
Ward, K. B., Wishner, B. C., Lattman, E. E. & Love, W. E., Structure of deoxyhemoglobin A crystals grown from polyethylene glycol solutions, 161
—. (see also Wishner, B. C.), 179
Weisel, J. W., Paramyosin segments: molecular orientation and interactions in invertebrate muscle thick filaments, 675
—. & Szent-Györgyi, A. G., The coiled-coil structure: identity of the two chains of *Mercenaria* paramyosin, 665
White, A. I. (see also Campbell, I. D.), 597
White, J., Rossmann, M. G. & Ford, D. C., A 5 Å X-ray diffraction study of coenzyme-deficient lactate dehydrogenase: NAD-pyruvate ternary complex, 259
Wishner, B. C., Ward, K. B., Lattman, E. E. & Love, W. E., Crystal structure of sickle-cell deoxyhemoglobin at 5 Å resolution, 179
—. (see also Ward, K. B.), 161
Wittmann, H. G., Yaguchi, M., Piepersberg, W. & Böck, A., Direction of transcription of two ribosomal protein genes in *Escherichia coli*, 827
Worcel, A. (see also Drlica, K.), 393
Wyman, J. (see also Giacometti, G. M.), 333

X-ray diffraction, a pulsed diffusion technique for the growth of suitable protein crystals, 155
— — study at 5 Å resolution of coenzyme-deficient lactate dehydrogenase: NAD-pyruvate ternary complex, 259
— scattering in solution, a "block" approach to the study of highly helical proteins, 341
Yaguchi, M. (see also Wittmann, H. G.), 827
Yeast irradiated with low doses of ultraviolet light: repair of pyrimidine dimers in nuclear and mitochondrial DNA, 781

Zaloga, G. (see also Sarma, R.), 479